


**DECKS, GUARDRAILS, HANDRAILS, STAIRS**

PERMIT NO.: \_\_\_\_\_

OWNERS NAME: \_\_\_\_\_

PROJECT LOCATION: \_\_\_\_\_



**BASIC CODE INFORMATION:**

1. Grade: 2% slope for drainage
2. Deck height from grade: Specify (\_\_\_\_\_)
3. Floor decking: Specify (\_\_\_\_\_)
4. Height of guard from deck  
 36" (for 2' to 6' deck height above grade)  
 42" (for 6' over deck height above grade)
5. 2" x 10" End joist (or same size of floor joist)  
 Others: (\_\_\_\_\_)
6. 3 - 2" x 10" Built up beam  
 Others: (\_\_\_\_\_)
7. 6" x 6" wood post anchored to the concrete pile  
 Others: (\_\_\_\_\_)
8. 12" Diameter x 12' deep concrete pile @ 6' - 6" o/c recommended  
 Others: (\_\_\_\_\_)
9. 2" x 10" floor joist @16" o/c.  
 Others: (\_\_\_\_\_)
10. 4" max space between railings
11. Guardrail: Specify (\_\_\_\_\_)
12. Railings: Specify (\_\_\_\_\_)

13. 34" minimum stair width
14. Stair handrail 32" to 38" height measured vertically from the stair nosing. Handrail is required if stairs have more than 3 risers
15. 2" x 10" stair tread, minimum  
 Others: (\_\_\_\_\_)
16. 2" x 10" Ledge (same size as joist)  
 Others: (\_\_\_\_\_)
17. Stair: Rise: 5" to 8"  
 Run: 8-1/4" to 14"
18. 4" thk concrete pad (optional)
19. Joist span: Specify (\_\_\_\_\_)
20. Existing house

**Note:** The above information does not cover all relevant requirements of the Alberta Building Code. The details shown in the drawings are guidelines for your reference and information only. You may use other options provided the work complies with the code. If you have any question or need assistance please free to call.